Examples from lecture

Example A (a.k.a. FUN with FRAMES)

```
<frameset rows = "20, *, 20">
    <frame src = "a">
    <frameset cols = "20, *">
        <frame src = "b">
        <frameset rows = "50, 50">
            <frame src = "c">
            <frame src = "d">
        </frameset>
    </frameset>
    <frame src = "e">
</frameset>
```

Example B (a.k.a. %189p-x <u>FUN</u> with FRAMES)

```
<frameset  cols = "20, * ">
    <frame  src= "a ">
    <frameset rows = "20, *, 20">
        <frameset cols = "50,50" >
            <frame  src = "b " >
            <frame  src = "c " >
        </frameset >
        <frame src = "d ">
        <frame src = "e " >
    </frameset >
</frameset >
```

Example C (a.k.a. TOO MUCH %189p-X _FUN_ with FRAMES)

```html
<frameset rows="20,*">
    <frameset cols="20,*">
        <frame src="a">
        <frame src="b">
    </frameset>
    <frameset cols="20,*">
        <frame src="c">
        <frameset rows="60,40">
            <frame src="d">
            <frameset cols="50,50">
                <frame src="e">
                <frame src="f">
            </frameset>
        </frameset>
    </frameset>
</frameset>
```

```html
<frameset cols="20,*">
    <frameset rows="20,80">
        <frame src="a">
        <frame src="c">
    </frameset>
    <frameset rows="20,60,20">
        <frame src="b">
        <frame src="d">
        <frameset cols="50,50">
            <frame src="e">
            <frame src="f">
        </frameset>
    </frameset>
</frameset>
```