

A MacroOrganizer for HTML

Structural Tags

- <!doctype>
- <html>...</html>
- <head>...</head>
- <body>...</body>
- <frameset>...</frameset>
 - <frame>
 - <iframe>...</iframe>
- <noframes>...</noframes>

Head Tags

- <title>...</title>
- <meta>
- <link>
- <script>
- <style>
- <base>
- <isindex>

Block-Level Tags

- <p>...</p>
- <div>...</div>
- <center>...</center>
- <h1>...</h1>
- <h2>...</h2>
- <h3>...</h3>
- <h4>...</h4>
- <h5>...</h5>
- <h6>...</h6>
- <address>...</address>
- <blockquote>...</blockquote>
- <pre>...</pre>
- <dl>...</dl>
 - <dt>...</dt>
 - <dd>...</dd>
- ... *or* ...
 - ...
- <table>...</table>
 - <caption>...</caption>
 - <tr>...</tr>
 - <th>...</th>
 - <td>...</td>
- <form>...</form>
 - <button>...</button>
 - <input>
 - <label>...</label>
 - <textarea>...</textarea>
 - <select>...</select>
 - <option>...</option>

Text-Level Tags

Logical Tags

- <big>...</big>
- <cite>...</cite>
- <code>...</code>
- <dfn>...</dfn>
- ...
- <kbd>...</kbd>
- <q>...</q>
- <samp>...</samp>
- <small>...</small>
- ...
- <tt>...</tt>
- <var>...</var>

Physical Tags

- ...
- <blink>...</blink>
- ...
- <i>...</i>
- _{...}
- ^{...}
- <u>...</u>

“Invisible” Tags

- <abbr>...</abbr>
- <acronym>...</acronym>
- ...
- <ins>...</ins>
- ...

Empty/“Standalone” Tags

-

- <hr>
- <a>
-
- <map>...</map>
 - <area>
- <embed>
- <noembed>...</noembed>
- <object>
 - <param>
- <applet>